## **Aerocom's AC2U Point to Point System**

The AC2U is a point to point system that transfers cargo quickly and reliably through a single tube at distances of up to 500 meters, or 1,600 feet. Most investors realize a return on investment within six months of use.

Maximum number of stations: 3 Maximum number of lines: 1

Diverter: 2-way

Operation mode: (standard) Single Tube, Reversing Transmission

#### Features of the AC2U System:

- Central Control Unit (CCU) eliminates need for addition al PC and monitor.
- Automatic blower shut down and reversing transmission to provide soft carrier landing for heavier cargo.
- 115 volt electrical with low-volt DC controls allow efficient operation.
- Arrival signals (A/V) are available for industrial applications, or where requirements are to accommodate the hearing and visually impaired.

The AC2U provides fully electronic digital operation and offers custom equipment options, including oversized carriers. Available in PVC, Aluminum, Steel (galvanized or stainless) tubing, sizes ranging from 2 1/4in to 12 1/2in.

### **Cylinder Blowers & Tubing:**



Systems up to 200'
Weight Load up to 1lb

Systems over 200'
Weight Load 1-3lbs










PVC




Stainless



## **Aerocom's AC2U System Diagrams**



#### **Point to Point 3 Station System**



aerocom

# **Aerocom's AC2U Station Options**

#### **Slide Stations: Aluminum & PVC**



**Aluminum Locking** 



**Aluminum Non-Locking** 



**Aluminum Long & Short Opening** 



**PVC Non-Locking** 

#### **Steel Box Stations:**



**Steel Box Station** 



Steel Locking Box Station



Side View









### **Aerocom** -

- Analyzes your mission
- Optimizes your needs
- Formulizes your solution
- Internalizes your output
- Synchonizes your process

- YOU Capitalize

Aerocom Systems, Inc. Toll Free: 1-800-231-4156 sales@aerocomusa.com info@aerocomusa.com

U.S.A. <u>www.aerocom-usa.com</u> CANADA www.aerocomcanada.ca